Product Information

AVENO Break-In Oil SAE 30 RED

0002-000304



Description

AVENO Break-In Oil SAE 30 is a mineral break-in oil for start-up filling and the breaking-in of repaired or overhauled engines. AVENO Break-In Oil SAE 30 dispenses with the use of friction coefficient improving additives (friction modifier) to considerably shorten the break-in phase for rebuilt and modified engines. The piston rings are rapidly seated. Due to its high levels of ZDDP (zinc dithiphosphate), AVENO Break-In Oil SAE 30 is particularly recommended to break-in classic V8 engines with flat tappets.

Instructions for use

AVENO Break-In Oil SAE 30 serves as a classic break-in oil and therefore can only remain in the engine for a short time (max. 1000km). The particularly high levels of anti-wear additives offer extra protection during the critical break-in phase of rebuilt engines. Please pay attention to the specifications of your engine reconditioners during the break-in phase. High engine loads and speeds are to be avoided.

Properties

• Very high levels of ZDDP

No friction modifier

• Breaks the engine in as quickly as possible

Technical specifications			
Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	92.5	mm²/s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	11.1	mm²/s	DIN 51659-2:2017-02
Viscosity Index	105		DIN ISO 2909:2004-08
Appearance	RED		VISUELL
Density at 15°C	882	kg/m³	DIN EN ISO 12185:1997-11
Pour Point	-30	°C	ASTM D 7346:2015
Total Base Number (TBN)	4.9	mgKOH/g	ASTM D 2896:2015

Deutsche Ölwerke Lubmin GmbH | Freesendorfer Weg 4 | 17509 Lubmin | Phone +49 38354 / 179530 | Fax +49 38354 / 179579

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments of the Deutsche Ölwerke Lubmin GmbH. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.