

Product Information

AVENO LTD SN 5W-40

0002-000603



Description

AVENO LTD SN 5W-40 is a smooth-running engine oil for passenger car petrol and diesel engines with and without turbocharging and direct injection. It is characterized by excellent cold start properties, minimization of fuel consumption, friction and wear. Extended oil change intervals according to manufacturer's instructions.

Instructions for use

AVENO LTD SN 5W-40 is ideally suited for energy-saving year-round use in modern car petrol and diesel engines. The operating instructions of the vehicle and engine manufacturers must be observed.

Quality classification

Specification

- API SN/CF
- ACEA A3/B4

Recommendation

- BMW Longlife-01
- MB 229.3, MB 229.5
- Opel GM LL-B-025
- Porsche A40
- Renault RN0700/RN0710
- VW 502 00/505 00

Properties

- Fuel savings under all operating conditions
- Very good detergent and dispersing properties
- Neutrality towards sealing materials
- Extended oil change intervals protect natural resources
- Low evaporation tendency, therefore low oil consumption
- Extensive protection against wear, corrosion and foaming
- Outstanding cold start properties even at low temperatures

Technical specifications

Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	87.6	mm ² /s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	14.3	mm ² /s	DIN 51659-2:2017-02
Viscosity Index	169		DIN ISO 2909:2004-08
Appearance	YELLOW		VISUELL
Density at 15°C	850	kg/m ³	DIN EN ISO 12185:1997-11
Pour Point	-42	°C	ASTM D 7346:2015