

Product Information

AVENO FS Super 0W-30

0002-000713



Description

Aveno FS Super 0W-30 is a synthetic smooth-running engine oil for petrol and diesel car engines with or without turbocharging and direct injection. Aveno FS Super 0W-30 is characterised by its excellent cold starting properties, minimisation of fuel consumption, friction and wear. Extended oil change intervals as per manufacturer's instructions.

Instructions for use

Aveno FS Super 0W-30 is an energy-efficient engine oil for year-round use, and is ideal for all modern petrol and diesel car engines. Aveno FS Super 0W-30 can be used in engines with the specifications indicated. The operating instructions of the automobile and engine manufacturer must be observed.

Quality classification

Specification

- API SL
- ACEA A3/B4

Approval

- Renault RN0700/RN0710
- VW 502 00/505 00
- VOLVO VCC 95200356

Recommendation

- BMW Longlife-01
- GM-LL-A-025, GM-LL-B-025
- MB 229.5

Properties

- Fuel savings under all operating conditions
- Excellent cold starting properties, even at low temperatures below -30°
- Very good detergent and dispersing properties
- A very stable and excellent viscosity behaviour and shear stability
- Neutrality towards sealants
- Excellent protection against wear, corrosion and foaming
- Low evaporation, thus low oil consumption
- Extended oil change intervals protect natural resources
- Suitable for catalytic converters

Technical specifications

Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	68,1	mm ² /s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	12,3	mm ² /s	DIN 51659-2:2017-02
Viscosity Index	181		DOL METHOD MA-034
Appearance	YELLOWBROWN		DOL METHOD MA-034
Viscosity CCS at -35°C	5700	mpa*s	DOL METHOD MA-034
Density at 15°C	843	kg/m ³	DIN EN ISO 12185:1997-11
Pour Point	-51	°C	ASTM D 7346:2015
Total Base Number (TBN)	10,1	mgkoh/g	ASTM D 2896:2015