

Product Information

AVENO FS Low SAPS Extra 5W-40

0002-000975



Description

AVENO FS Low SAPS Extra 5W-40 is a high-performance, low-friction engine oil for modern gasoline and diesel engines in passenger cars and small vans. It is particularly recommended for use in engines with turbochargers and multi-valve technology.

Instructions for use

AVENO FS Low SAPS Extra 5W-40 can be used as an oil all year round. It is suitable for short and long-haul operations.

Quality classification

Specification

- API SN/CF
- ILSAC GF-5
- ACEA C2/C3

Recommendation

- BMW Longlife-04
- dexos2™
- MB 229.51/52
- Porsche C40
- VW 502 00/505 01
- Chrysler MS-11106
- Fiat 9.55535-S3
- Ford WSS-M2C917-A
- MB 226.5

Properties

- Excellent cold start properties
- High fuel savings (Fuel Economy)
- Very high wear protection
- Excellent oxidation stability thanks to the use of high-quality base oils
- Reliable lubrication, even at high operating temperatures
- Used in petrol and diesel engines from various manufacturers

Technical specifications

Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	95,2	mm ² /s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	15,5	mm ² /s	DIN 51659-2:2017-02
Viscosity Index	173		DIN ISO 2909:2004-08
Appearance	YELLOW		VISUELL
Viscosity CCS at -30°C	5660	mPa*s	ASTM D 5293:2020
Density at 15°C	849	kg/m ³	DIN EN ISO 12185:1997-11
Pour Point	-39	°C	ASTM D 7346:2015
Total Base Number (TBN)	6,8	mgKOH/g	ASTM D 2896:2015