

Produkt Update 3.2021

Product Update 3.2021

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000350	AVENO Low SAPS HD Excellence 10W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN, ACEA E6/E7/E9</p> <p>FREIGABEN APPROVALS: API CK-4, Mack EOS-4.5, MB-Freigabe 228.51, Renault VI RLD-4, VOLVO VDS-4.5</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20081/20086 DDC 93K218, DDC 93K222, Deutz DQC IV-10 LA, MAN M 3271-1/M 3775, MAN M 3677/M 3477, MTU Typ 3.1, Scania Low Ash</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN, ACEA E6/E7/E9</p> <p>FREIGABEN APPROVALS: API CK-4, Mack EOS-4.5, MB-Freigabe 228.51, Renault VI RLD-3, VOLVO VDS-4.5</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20081/20086 DDC 93K218, DDC 93K222, Deutz DQC IV-10 LA, MAN M 3271-1/M 3775, MAN M 3677/M 3477, MTU Typ 3.1, Scania Low Ash</p>
0002-000350	AVENO Low SAPS HD Premium 10W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN, JASO DH-2, ACEA E6/E7/E9</p> <p>FREIGABEN APPROVALS: API CK-4, Deutz DQC IV-10 LA, MB-Freigabe 228.51, Mack EOS-4.5, Renault VI RLD-4, VOLVO VDS-4.5</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, DDC 93K222, DDC 93K218, MAN M 3477 MTU Typ 3.1</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN, JASO DH-2, ACEA E6/E7/E9</p> <p>FREIGABEN APPROVALS: API CK-4, Deutz DQC IV-10 LA, MB-Freigabe 228.51, Mack EOS-4.5, Renault VI RLD-3, VOLVO VDS-4.5</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, DDC 93K222, DDC 93K218, MAN M 3477 MTU Typ 3.1</p>
0002-000685	AVENO ATF 6HP	<p>EMPFEHLUNGEN RECOMMENDATIONS: AML 4G4319A509/AA/S, Audi/VW G 055 005 A1/A2/A6, Bentley PY112995PA, BMW 83 22 0 142 516, BMW 83 22 2 305 396, Hyundai/Kia 040000C90SG, Jaguar C2C 8432, Land Rover TYK500050, Maserati 231603</p>	<p>EMPFEHLUNGEN RECOMMENDATIONS: AML 4G4319A509/AA/S, Audi/VW G 055 005 A1/A2/A6, Bentley PY112995PA, BMW 83 22 0 142 516, BMW 83 22 2 305 396, Hyundai/Kia 040000C90SG, Jaguar C2C 8432, Land Rover TYK500050, Maserati 231603, Volvo 97342 AT102</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000185	AVENO ATF DX VI COLORLESS	<p>SPEZIFIKATIONEN SPECIFICATIONS: GM DEXRON®-VI, Aisin Warner AW-1, Aisin Warner JWS 3324</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, ATF Type 3.0, ATF Type 3.1, BMW/Mini ATF 3+, Ford/Lincoln/Mercury XT-6-DSP [SP], Ford/Lincoln/Mercury XT-6-QSP [SP], Honda ATF DW-1, Hyundai/Kia NWS 9638 T-5, Jaguar C2C 8432, Mazda FZ, Mazda FW 6A EL, Mazda FW 6AX EL, MB 236.12, MB 236.14, MB 236.41, Mitsubishi ATF-J3, Mitsubishi Diaqueen ATF-PA, Nissan Matic-S, Porsche 000 043 304 00, Shell 3353/134/M-1375.4/12108, SP-IV/SPH-IV/SP-IV-RR, Toyota Scion FZ, Toyota WS, VW G 052 533, VW G 055 005 A/A2, VW G 055 540 A2, VW G 060 162 A1/A2/A6, ZF Lifeguardfluid 5/6</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: GM DEXRON®-VI, Aisin Warner AW-1, Aisin Warner JWS 3324</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, ATF Type 3.0, ATF Type 3.1, BMW/Mini ATF 3+, Ford/Lincoln/Mercury XT-6-DSP [SP], Ford/Lincoln/Mercury XT-6-QSP [SP], Honda ATF DW-1, Hyundai/Kia NWS 9638 T-5, Jaguar C2C 8432, Mazda FZ, Mazda FW 6A EL, Mazda FW 6AX EL, MB 236.12, MB 236.14, MB 236.41, Mitsubishi ATF-J3, Mitsubishi Diaqueen ATF-PA, Nissan Matic-S, Porsche 000 043 304 00, Shell 3353/134/M-1375.4/12108, SP-IV/SPH-IV/SP-IV-RR, Toyota Scion FZ, Toyota WS, Volvo 97342 AT102, VW G 052 533, VW G 055 005 A/A2, VW G 055 540 A2, VW G 060 162 A1/A2/A6, ZF Lifeguardfluid 5/6</p>
0002-000186	AVENO ATF DX VI RED	<p>SPEZIFIKATIONEN SPECIFICATIONS: GM DEXRON®-VI, Aisin Warner AW-1, Aisin Warner JWS 3324</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, ATF Type 3.0, ATF Type 3.1, BMW/Mini ATF 3+, Ford/Lincoln/Mercury XT-6-DSP [SP], Ford/Lincoln/Mercury XT-6-QSP [SP], Honda ATF DW-1, Hyundai/Kia NWS 9638 T-5, Jaguar C2C 8432, Mazda FZ, Mazda FW 6A EL, Mazda FW 6AX EL, MB 236.12, MB 236.14, MB 236.41, Mitsubishi ATF-J3, Mitsubishi Diaqueen ATF-PA, Nissan Matic-S, Porsche 000 043 304 00, Shell 3353/134/M-1375.4/12108, SP-IV/SPH-IV/SP-IV-RR, Toyota Scion FZ, Toyota WS, VW G 052 533, VW G 055 005 A/A2, VW G 055 540 A2, VW G 060 162 A1/A2/A6, ZF Lifeguardfluid 5/6</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: GM DEXRON®-VI, Aisin Warner AW-1, Aisin Warner JWS 3324</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3, Cummins CES 20086/20081, ATF Type 3.0, ATF Type 3.1, BMW/Mini ATF 3+, Ford/Lincoln/Mercury XT-6-DSP [SP], Ford/Lincoln/Mercury XT-6-QSP [SP], Honda ATF DW-1, Hyundai/Kia NWS 9638 T-5, Jaguar C2C 8432, Mazda FZ, Mazda FW 6A EL, Mazda FW 6AX EL, MB 236.12, MB 236.14, MB 236.41, Mitsubishi ATF-J3, Mitsubishi Diaqueen ATF-PA, Nissan Matic-S, Porsche 000 043 304 00, Shell 3353/134/M-1375.4/12108, SP-IV/SPH-IV/SP-IV-RR, Toyota Scion FZ, Toyota WS, Volvo 97342 AT102, VW G 052 533, VW G 055 005 A/A2, VW G 055 540 A2, VW G 060 162 A1/A2/A6, ZF Lifeguardfluid 5/6</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000004	AVENO Mineral Super HD 15W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CG-4, API SL/CF, MIL-L-2104 E, ACEA A3/B3, ACEA A3/B4, ACEA E2</p> <p>FREIGABEN APPROVALS: API SL, MB-Freigabe 229.1</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Allison C-4, Caterpillar TO-2, Deutz DQC I-02, Fiat 9.55535-D2/-G2, Mack EO-L, MAN M 3275-1, MAN 271, MTU Type 2, Volvo VDS, VW 501 01/VW 505 00 ZF TE-ML 07C</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CG-4, API SL/CF, MIL-L-2104 E, ACEA A3/B3, ACEA E2</p> <p>FREIGABEN APPROVALS: API SL, MB-Freigabe 229.1</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Allison C-4, Caterpillar TO-2, Deutz DQC I-02, Mack EO-L, MAN M 3275-1, MAN 271, MTU Type 2, Volvo VDS, VW 501 01/VW 505 00, ZF TE-ML 07C</p>
0002-000770	AVENO Super Truck 15W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E2/B4, API CF-4/SG, MIL-L-2104 E, MIL-L-46152 E</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Allison C-4, Caterpillar TO-2, Deutz DQC I-02, Mack EO-K, MAN 271, MB 228.1 / 235.12, Volvo VDS, ZF TE-ML 03K/04C/04P/07C/07D</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E2/A3/B4, API CF-4/SG, MIL-L-2104 E, MIL-L-46152 E</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Allison C-4, Caterpillar TO-2, Deutz DQC I-02, Mack EO-K, MAN 271, MB 228.1 / 229.1 / 235.12, Volvo VDS, ZF TE-ML 03K/04C/04P/07C/07D</p>
0002-000179	AVENO ATF M-9-FE RED	<p>EMPFEHLUNGEN RECOMMENDATIONS: MB 236.15, MB 236.17, MB A001 989 78 03, MB A001 989 77 03, ATF 7134 FE; ATF 134 FE; ATF 134 ME</p>	<p>EMPFEHLUNGEN RECOMMENDATIONS: MB 236.15, MB A001 989 78 03, MB A001 989 77 03, ATF 7134 FE; ATF 134 FE; ATF 134 ME</p>
0002-000686	AVENO Power Gear Long Drain 80W-90	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4, API GL-5, MIL-L-2105D, MIL-PRF-2105E, SAE J2360</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: VOLVO 1273.10/1273.21 / 97321, MAN 342 M1/M2, MB 235.0 / 235.6, Scania STO 1:0, VOLVO STD 1273.10, ZF TE-ML 05A/07A/08/12E/16B/16C/16D/17B/19B/21A</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4, API GL-5, MIL-L-2105D, MIL-PRF-2105E, SAE J2360</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: VOLVO 97321, MAN 342 M1/M2, MB 235.0 / 235.6, Scania STO 1:0, VOLVO STD 1273.10, ZF TE-ML 05A/07A/08/12E/16B/16C/16D/17B/19B/21A</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000765	AVENO WIV-Multi Supreme 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP, ACEA C3</p> <p>FREIGABEN APPROVALS: VW 504 00/507 00</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-04, MB 229.31, MB 229.51/229.52, Porsche C30</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP, ACEA C3</p> <p>FREIGABEN APPROVALS: BMW Longlife-04, VW 504 00/507 00</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MB 229.31, MB 229.51/229.52, Porsche C30</p>
0002-000113	AVENO Heavy Duty FS 5W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CJ-4, API SM, ACEA E7/E9</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-2/ECF-3, Chrysler MS-10902, Cummins CES 20081, DDC 93K218, DDC 93K215, DDC 93K214, Deutz DQC II-10 LA, Mack EO-O Premium Plus, MAN M 3575, MAN M 3275, MB 228.31, MTU Typ 1/Typ 2, Renault VI RLD-3, Volvo VDS-4</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CJ-4, API SM, ACEA E7/E9</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-2/ECF-3, Chrysler MS-10902, Cummins CES 20081, DDC 93K218, DDC 93K215, DDC 93K214, Deutz DQC II-10 LA, Ford WSS-M2C171-F1, Mack EO-O Premium Plus, MAN M 3575, MAN M 3275, MB 228.31, MTU Typ 1/Typ 2, Renault VI RLD-3, Volvo VDS-4</p>
0002-000543	AVENO FS Supreme 0W-20	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN, ACEA A1/B1, ACEA C5</p> <p>FREIGABEN APPROVALS: MB-APPROVAL 229.71</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Jaguar Land Rover STJLR.51.5122</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP, ACEA A1/B1, ACEA C5</p> <p>FREIGABEN APPROVALS: MB-APPROVAL 229.71</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: dexosD, OPEL OV0401547</p>
0002-000217	AVENO Truck Gear LongLife 75W-80	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4, MIL-L-2105</p> <p>FREIGABEN APPROVALS: MAN 341 TYP Z4, ZF TE-ML 01L, 02L, 16K</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MAN 341 TYP E3, VOLVO 97305, VOLVO 97307 VOLVO 97318, DAF, EATON (EXTENDED DRAIN) / RENAULT, IVECO, MAN 341 TYP V-R</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4, MIL-L-2105</p> <p>FREIGABEN APPROVALS: MAN 341 TYP Z4, ZF TE-ML 01L, 02L, 16K</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MAN 341 TYP E3, VOLVO 97305, VOLVO 97307 VOLVO 97318, DAF, EATON (EXTENDED DRAIN) / RENAULT, IVECO 18-1807, MAN 341 TYP V-R</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000103	AVENO Universal UHPD 10W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E6/E7/E9, API CI-4, JASO DH-2</p> <p>FREIGABEN APPROVALS: API CI-4, DEUTZ DQC IV-10 LA, MACK EO-N, MB-FREIGABE 228.51, MTU TYP 3.1, RENAULT VI RLD-2, VOLVO VDS-3</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-2, Cummins CES 20076/20077/20078, DAF HP-2, MAN M 3271-1, MAN M 3277, Renault VI RXD/RGD, Scania Low Ash</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E6/E7/E9, API CI-4, JASO DH-2</p> <p>FREIGABEN APPROVALS: API CI-4, DEUTZ DQC IV-10 LA, MACK EO-N, MAN M 3477, MB-FREIGABE 228.51, MTU TYP 3.1, RENAULT VI RLD-2, VOLVO VDS-3</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-2, Cummins CES 20076/20077/20078, DAF HP-2, MAN M 3271-1, MAN M 3277, MAN M 3477, Renault VI RXD/RGD, Scania Low Ash</p>
0002-000194	AVENO ATF ZM Synthetic BLUE	<p>EMPFEHLUNGEN RECOMMENDATIONS: MAN 339 Typ Z4, ZF TE-ML 4D/14E/20E/16N</p>	<p>EMPFEHLUNGEN RECOMMENDATIONS: MAN 339 Typ Z4, ZF TE-ML 4D/14E/20F/16N</p>
0002-000074	AVENO WIV-Multi LL 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN, ACEA C3</p> <p>FREIGABEN APPROVALS: VW 504 00/507 00</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-04, MB 229.31, MB 229.51, Porsche C30</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN, ACEA C3</p> <p>FREIGABEN APPROVALS: BMW Longlife-04, VW 504 00/507 00</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MB 229.31, MB 229.51, Porsche C30</p>
0002-000595	AVENO Low SAPS HD Supreme 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E6/E7/E9, API CK-4/SN, JASO DH-2</p> <p>FREIGABEN APPROVALS: Deutz DQC IV-18 LA, VOLVO VDS-4.5 Mack EOS-4.5, Renault VI RLD-3</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MAN M 3677*, MAN M 3775*, MB 228.31 *, MB 228.51 *, MB 228.52 *, MTU Typ 3.1 *, Scania Low Ash *, Caterpillar ECF-3, Cummins CES 20086, DDC 93K222, Ford WSS-M2C 213-A, MAN M 3271-1, MAN M 3477</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: ACEA E6/E7/E9, API CK-4/SN, JASO DH-2</p> <p>FREIGABEN APPROVALS: Deutz DQC IV-18 LA, MAN M 3677, VOLVO VDS-4.5 Mack EOS-4.5, Renault VI RLD-3, MB 228.51</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: MAN M 3775*, MB 228.31 *, MB 228.52 *, MTU Typ 3.1 *, Scania Low Ash *, Caterpillar ECF-3, Cummins CES 20086, DDC 93K222, Ford WSS-M2C 213-A, MAN M 3271-1, MAN M 3477</p>

* Freigaben wurden/sind beantragt