

Produkt Update 2.2024

Product Update 2.2024

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000060	AVENO DXS 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN PLUS (RC) API SP (RC) ILSAC GF-5/GF-6A</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Chrysler MS-6395 dexos1™ Gen3 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN PLUS (RC) API SP (RC) ILSAC GF-5/GF-6A</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Chrysler MS-6395 dexos1™ Gen3 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M Opel/Vauxhall OV0401547-G30</p>
0002-000110	AVENO Ultra Low SAPS HD 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CJ-4 ACEA E4/E6/E7/E9</p> <p>FREIGABEN APPROVALS: DTFR 15C100 (228.31) DTFR 15C110 (228.51) Mack EO-O Premium Plus MAN M 3677 Renault VI RLD-3 Scania LDF-4 VOLVO VDS-4</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3 Cummins CES 2008 DAF Extended Drain DDC 93K218 Deutz DQC IV-10 LA DTFR 13D110 (235.28) Iveco 18-1804 TLS E6 MAN M 3271-1 MAN M 3477 MAN M 3575 MAN M 3691 MTU Typ 3.1 MTU Typ 2.1 Scania Low Ash Voith Retarder B VOLVO CNG</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CJ-4 ACEA E4/E6/E7/E9</p> <p>FREIGABEN APPROVALS: Mack EO-O Premium Plus MAN M 3677 Renault VI RLD-3 Scania LDF-4 VOLVO VDS-4</p> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3 Cummins CES 2008 DAF Extended Drain DDC 93K218 Deutz DQC IV-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) DTFR 13D110 (235.28) Iveco 18-1804 TLS E6 MAN M 3271-1 MAN M 3477 MAN M 3575 MAN M 3691 MTU Typ 3.1 MTU Typ 2.1 Scania Low Ash Voith Retarder B VOLVO CNG</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000185	AVENO ATF DX VI COLORLESS	<p>SPEZIFIKATIONEN SPECIFICATIONS: Aisin Warner AW-1 GM Dexron® VI</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: ATF Type 3.0 ATF Type 3.1 BMW/Mini ATF 3+ Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 (AT 102) VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: Aisin Warner AW-1 GM Dexron® VI</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: ATF Type 3.0 ATF Type 3.1 BMW/Mini ATF 3+ Ford MERCON® LV Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Isuzu ATF WSI Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 (AT 102) VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6</p>
0002-000186	AVENO ATF DX VI RED	<p>SPEZIFIKATIONEN SPECIFICATIONS: Aisin Warner AW-1 GM Dexron® VI</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: ATF Type 3.0 ATF Type 3.1 BMW/Mini ATF 3+ Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 (AT 102) VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: Aisin Warner AW-1 GM Dexron® VI</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: ATF Type 3.0 ATF Type 3.1 BMW/Mini ATF 3+ Ford MERCON® LV Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Isuzu ATF WSI Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 (AT 102) VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000208	AVENO Gear Super Synth. 75W-90 GL-4	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: DTFR 13B110 (235.11) Ford ESD-M2C175 Opel GM B 040 104 3 VW 501 50</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API GL-4+</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: DTFR 13B110 (235.11) Ford ESD-M2C175 Opel GM B 040 104 3 VW 501 50</p>
0002-000500	AVENO Premium LL-12 FE 0W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA A5/B5 ACEA C2 ILSAC GF-6</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-12 FE Ford WSS-M2C950-A MB 227.61 MB 229.61</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA A5/B5 ACEA C2 ILSAC GF-6</p> <hr/> <p>FREIGABEN APPROVALS: BMW Longlife-12 FE</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Ford WSS-M2C950-A MB 227.61 MB 229.61</p>
0002-000541	AVENO DXS Premium 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A</p> <hr/> <p>FREIGABEN APPROVALS: API SP (RC) API SN Plus dexos1™ Gen3 (Lizenznummer D335AADH374) ILSAC GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A</p> <hr/> <p>FREIGABEN APPROVALS: API SP (RC) API SN Plus dexos1™ Gen3 (Lizenznummer D335AADH374) ILSAC GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M Opel/Vauxhall OV0401547-G30</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000595	AVENO Low SAPS HD Supreme 5W-30	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2</p> <hr/> <p>FREIGABEN APPROVALS: Deutz DQC IV-18 LA DTFR 15C110 (228.51) Mack EOS-4.5 MAN M 3677 MAN M 3691 MAN M 3775 Renault VI RLD-3 SCANIA LDF-4 VOLVO VDS-4.5</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-3 Cummins CES 20086 DAF Extended Drain DDC 93K222 Deutz TTCD-Motoren DTFR 15C100 (228.31) DTFR 15C120 (228.52) Ford WSS-M2C213-A1 Iveco 18-1804 TLS E6 LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3777 MTU Typ 3.1 Scania Low Ash</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2</p> <hr/> <p>FREIGABEN APPROVALS: Caterpillar ECF-3 Deutz DQC IV-18 LA DTFR 15C110 (228.51) Mack EOS-4.5 MAN M 3677 MAN M 3691 MAN M 3775 Renault VI RLD-3 SCANIA LDF-4 VOLVO VDS-4.5</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Cummins CES 20086 DAF PSQL 2.1E LD DDC 93K222 Deutz TTCD-Motoren DTFR 15C100 (228.31) DTFR 15C120 (228.52) Ford WSS-M2C213-A1 Iveco 18-1804 TLS E6 LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3777 MTU Typ 3.1 Scania Low Ash</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000604	AVENO Universal Performance 15W-40	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN ACEA E6/E7/E8/E9/E11 Global DHD-1 JASO DH-2</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-1/ECF-2/ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Ford WSS-M2C171-F1/-E Mack EO-O Premium Plus Mack EOS 4.5 MAN M 3271-1 MAN M 3575 MAN M 3775 MAN M 3275 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4.5</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API CK-4/SN ACEA E6/E7/E8/E9/E11 Global DHD-1 JASO DH-2</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: Caterpillar ECF-1/ECF-2/ECF-3 Cummins CES 20081 Cummins CES 20086 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Ford WSS-M2C171-F1/-E Iveco 18-1804 TLS E9 Mack EO-O Premium Plus Mack EOS 4.5 MAN M 3271-1 MAN M 3575 MAN M 3775 MAN M 3275 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4.5</p>
0002-000728	AVENO Premium LL-17 FE 0W-20	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA C5 ACEA C6 ILSAC GF-5/GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS-M2C947-A1/-B1 Ford WSS-M2C952-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 MB 229.72 Opel/Vauxhall OV 0401547 A-20 Volvo VCC RBS0-2AE</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA C5 ACEA C6 ILSAC GF-5/GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS-M2C947-A1/-B1 Ford WSS-M2C952-A1 Ford WSS-M2C954-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 MB 229.72 Opel/Vauxhall OV 0401547 A-20 Volvo VCC RBS0-2AE</p>

Artikel-Nr. Item No.	Produktbezeichnung Product Name	Alte Spezifikationen Old Specifications	Neue Spezifikationen New Specifications
0002-000749	AVENO LL-17 FE 0W-20	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA C5 ACEA C6 ILSAC GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS-M2C947-B1 Ford WSS-M2C952-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 MB 229.72 Opel/Vauxhall OV 0401547 A-20</p>	<p>SPEZIFIKATIONEN SPECIFICATIONS: API SP (RC) ACEA C5 ACEA C6 ILSAC GF-6A</p> <hr/> <p>EMPFEHLUNGEN RECOMMENDATIONS: BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS-M2C947-B1 Ford WSS-M2C952-A1 Ford WSS-M2C954-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 MB 229.72 Opel/Vauxhall OV 0401547 A-20</p>